

Instructions for filling out the Measuring Sheet

***Determine Opening Direction-** When the canopy is OPEN it will cover the pergola, and provide shade and rain protection. The Measuring Sheet is the top view of the pergola and the blue arrow represents the opening direction of the canopy. The LEFT side is determined by facing the the Fabric Tube, with the fabric extending towards you. Only track locations necessary for canopy installation are shown on the Measuring Sheet. Enter dimensions for 1,2,3,4,A,B,C,D. Enter Power Cord and Wall Switch location. Select Hood Color and Fabric.

1. Canopy Width-Measure from center to center of the outside rafters or purlins and enter the dimension.

2. Canopy Extension-Enter the length of the rafter/purlin of the area that you would like the canopy to cover. Consider mounting surface depth and structural integrity at the ends of the rafters/purlins and non structural end caps. Be aware of possible obstructions (roof overhangs, lighting, etc) when measuring. Actual fabric coverage is 12" less then canopy extension to allow for water drainage.

3. Rafter Width-Enter the width of the rafter or purlin.

4. Height-Enter the height from the deck to top of rafter or purlin.

***Track Spacing-**Aluminum tracks measuring 2" wide x 1/2" tall are mounted to the top of the pergola rafters or purlins to secure the fabric to the structure. Every canopy requires one track on each outside rafter, but the pergola width and the rafter spacing will determine if 1,2, or 3 tracks are necessary in the middle. The aluminum tracks can be spaced up to 5' apart. Ideal track spacing is 4'. All track measurements are from center of track to center of track. When taking dimensions for track spacing face the fabric tube, (the fabric will open towards you) and start on the LEFT. Enter the dimensions on the Measuring Sheet.

A+B+C+D+E= the Canopy Width.

A. Starting at the center of the LEFT outside rafter (track1),measure to the center of a rafter aprox 48" away for track 2 placement. Enter dimension for A.

B. Enter dimension from the center of track 2 to the center of a rafter aprox 48" away for track 3 placement.

C. Enter dimension from the center of track 3 to the center of a rafter aprox 48" away for track 4 placement.

D. Enter dimension from the center of track 4 to the center of the right outside rafter for track 5 placement.

E. Canopies wider than 16' may require 6 tracks.

***Location of Power Cord, Wall Switch and Controller-**

Enter "Fabric End left or right", OR "Strap End left or right". The Canopy Controller and low voltage Wall Switch with 8' Power Cord can be located in any corner. The Wall Switch mounts aprox 54" from the deck and the 8' Power Cord plugs into an outlet located near the deck. If the outlet is on top of the pergola, write "TOP" and specify if additional power cord length is required.

***Wall Switch-** If no Wall Switch is desired enter "NONE".

***Fabric-**Enter "Sattler" or "Sunbrella", fabric name and number

***Hood Color-**Enter desired hood color. Hoods are available in 5 colors, refer to color chart for options.


***Customer-** Enter name, phone number, email address and job name.

***Ship Address-**Enter shipping address. *Note-Residential delivery and "call before delivery" charges will apply when shipping to residential addresses.

Hood Colors




BRONZE



MATTE BLACK




SIERRA TAN



SANDSTONE



SLATE GRAY
Non Stock



BONE WHITE



COLONIAL RED
Non Stock



HARTFORD GREEN
Non Stock

Kynar 500® .040 pre-finished aluminum